

A VERIE N - 12 - 2
Perfect Discourse,
and order howv to know
the Age of a HORSE, and the Dis-
eases that breed in him, with the
Remedies to cure the same;

as also,

The description of every Vayner and how
and when to let him blood according to
the diversitie of the Diseases as hath
been proved by the Author.


L. W. C.



Imprinted at London by W. W.

Thomas Pavier.

1652.





In this Discourse is fyrst

shewed how, and when, a Horse should be let
blood, and to what end, and by what signe a man
may know whether it be requisite or no. Secondly,
in how many Vaines he may be let Blood.
Thirdly, how to know his Age. Fourthly,
where all kind of diseases do grow,
and how to cure them.

*How and when a Horse should be let blood, and to what
end, and by what signe a man may know whether it be re-
quisite or no.*

First, to preserve health, it is good to let
him Blood foure times a yere. First in
the Spring about the beginning of May,
because the Blood beginneth to increase.
Secondly, in September, because the
Blood being then inflamed inequally,
may euaporate or breake out.

Thirdly, about the middelt of December, to let out the
grosse and knottie Blood.

Fourthly, about the middelt of March,

But I would not wish you to let a Horse blood but once
a yere, & that in the beginning of May, within a fortnight
after his putting to grasse, for then you shall let out the
grosse and old blood, and the new will come in his place.
Except it be vpon great need, I would wish you not to let

Remedies by Blood-letting.

him blood at all : for oft letting blood, causeth debilitie in the Horse, it hindreth the sight, and maketh the blood to resort inwardly, which clopeth the Hart and Intralles, and leaueh the outward partes destitute.

In how many Vaynes an Horle
may be let blood.

In the first 2. Vaynes are the Temple Vaynes, which be the principall Vaines in the Head.

In the 2. Eye Vaynes, which are eade to and in the face of the Horse, somewhat beneath his Eyes.

In the 2. Pallet Vaynes in the Mouth.

In the 2. Necke Vaynes.

In the 2. Plate Vaynes, which are in the Breast.

In the 2. Forehead Vaynes.

In the 2. fore Shankes Vaynes before.

In the 2. fore Vaynes before.

In þ 2. side Vaines, which may be called þ Shankes vaines.

In the Cople Vayne.

In the Hanch Vayne.

In the Hoofe Vaynes.

In the 2. fore Shankes Vaynes behind.

So by this account, an Horse may be let Blood in 31. Vaynes: all which Vaynes are easie enough to know, because euery one lyeth in a little gutter, which you shall finde by feeling with your finger.

If your Horse be payned w any grieve in his head, heauines, Fransey, Fawling euill, or such like, then it is good to let him blood in the Temple Vaynes with a Fleme.

If his Eyes be watrish, or Blood-Hotten, or greued with Pinne or Mebbe, or Pain, then it is good to let him Blood in the Eye Vayne with a Fleme.

Remedies by Blood-letting.

If he haue any wearinesse or heauinesse of Body, or be diseased in the throat with the Stranglings or Quinsies, or swellings of the Arteries either within or without, then it is good to let blood in the Pallet Maynes in the Mouth with a Cornet.

If he be vexed with an Ague, or with any other disease vniuersall hurting his body, then let him blood in the Necke Maynes.

If his grieve be in the Lungen, Liuer, or any other inward part, then let him blood in the Brest Maynes: which we call befoze the Plate Maynes.

If he be greued in the Shoulders, then let him blood in the Fore-fecte Maynes aboue the Knee with a Lounce, and that very warely: for that place is full of Sinnewes.

If he be greued in the Joyntes, then let him blood in the Shackle Maynes, and that very warely: for that place is full of Sinnewes also.

If he be soyled in y^e Fore-feet with foundring, or otherwise, then let him blood in y^e two Vaines (make way first with your Drawer to come to your vaines) in y^e fore-feet.

If he be diseased in the Kidneyes or Reynes, Barke or Belly, then let him blood in the Flanke Maynes.

If he haue any grieve in his Hippes, then let him blood in the Tayle Mayne or Hough Mayne.

If his hinder Legs be greued, or Joyntes, or Feete, then let him blood on the Shackle Maynes, and on the 2. Maynes behinde on the hinder feete.

To know the age of a Horse.

A Horse hath xl. Teeth, the xxx. Month after his foaling he loseth two above & two beneath: in the liti. yeere he loseth two above and two beneath: when he is five he casteth all the rest both above and beneath. Those that come first above are hollow: when he is five, his hollow Teeth are filled vp, & in the. vii. all the rest are filled vp, then you can no longer iudge of his age by his Teeth.

To know where these Diseases do grow
about a Horse.

B Agges, is in the weakes of the Mouth.
Barbe, be two Teates growing under the Tongue.
Bottes, do grow and breed in the Paw and Gutes.
Blisters on his body cometh through heate & cold.
Camer, is in his Mouth venomd, & will make his tongue to haue cliftes and scabbes in his vpper Lippes under neath, & are full of blacke Wheales or Pimples, so that he can hardly eate his meate.
Coule Euill, is by rancknesse of Water and Blood, it will cause his Belly and Weard to swell.
Cloying, is in the Hoofe of the Feete.
Cordes, is a slacke Sinniew in the Legges before.
Curbes, is a swelling Sinnew behind the Hoofe.
Crotches, is a rustle fourtinesse about the Fetter-lockes.
Interseering, is striking on the Joynt about the Pastorne.
Farcion or Farcie, is a Scabbe or Knobbes breaking in diuers places of his body, & cometh chiefly in y. vaines.
Feuer, is a sicknesse taken with cold, and will cause him to shake.
Thissula, is an old rotten Soze in his Body.

Foun-

The Diseases in Horses.

Foundering, is taken in the Body, and feete also.

Fraying, is taken in the Body, and Feete, and Legges, which is a stitnesse comming onely with cold.

Frounce or Pimples in the Pallet of his Mouth, Gawling, or other hurt, and come especially by eating of frozen grasse or dust.

Giggles or Flappes, are Pimples or Teates on the inside of the Mouth.

Glaunders, are Curnels under his Jawes, and when they are ripe, they will runne at his Nose, and so breake out.

Gorge, is a swelling of Blood on the Legges.

Grauceling, is taken in the Feete.

The Webbe in the eye or the Haw, which is a Gristle growing on the f elme, which scowreth the Eye.

Hyde-bound, is when the skinne cleaueth to the flesh and the ribbes.

Hooft-bound, is in the pinching of the Hoofe.

Itch in the Tayle, is by excessse of Blood.

Lampas, is the Fleth in the mouth nee the vpper Teeth.

Mange, is taken by some Scabbe or byting.

Mallander, is a Scabbe in the bone of the Knees.

Molt-long, is the pinching of a straight Hoofe.

Mourning of the Chinc, is a wasting from the Backe, or broken Winded.

Nauell galled, is a Soze on his backe against the Maue, or an Impostume soze.

Paynes, is a Sozenesse about the Hoofe, or Foot-lockes.

Powle-cuill, is on the nape of the Necke, and breedeth by stripes.

Pinne or Webbe, which couereth the beard of the Eye.

Rume, is taken by cold, and so his Teeth will ware loose and seeme long, and then he cannot cate his meate, but it will lie in lumpes, and about his Jawes.

Ring-bone, is a hard Gristle about his Hoofe.

Qui-

The Diseases in Horses.

Quinasie, is a sozenesse in the Throate.

Selander, is a Scabbe on the Hammes on the hinder Legges.

Shackle gawled, is on the Pastozne.

Spauen, is on the Topnt in the Hoofes behinde.

Splent, is a splend Shinniew about the Fetter-lockes.

Staggers, is a doosinesse in the Head, breeding of cold, and of the Yellowes.

Stranglinges, is a swelling of the Throate.

Stone in a Horse.

Surbating, is under the Sooles of the Feete on the further side.

Viues, is a certaine Cornell under the Eares, or a Canker in the Mouth or Throate.

Windgalles, are Bladders about the Fetter-lockes.

Yellow, is a kinde of Jaundies, and will cause the Eyes to looke yellow, and other partes of the body also.

APPRO.

for Diseased Horses.

- Thistula**, is an old rotten Soze in his body.
Foundering, is taken in the Body, and Feete also.
Fraying, is taken in the Body, Feete, and Legges, which is a stiffnessse conning onely with cold.
Frounce or Pimples, in the Pallet of his Mouth, Galling, or other hurt: and come especially by eating of frozen Grasshe, or Dust.
Gigges or Flappes, are Pimples or Teates on the inside of the Mouth.
Glaunders, are Curnels vnder his Jawes: and when they are ripe, they will run at his Nose, and so breake out.
Gorge, is a swelling of Blood on the Legges.
Grauell, is taken in the Feete.
The Webbe in the Eye, or the Haw, which is a Gristle growing on the Felme, which scowzeth the Eye.
Hide-bound, is when the Skinne cleaueth to the flesh and the Ribbes.
Hoofe-bound, is in the pinching of the Hoofe.
Itch in the Taile, is by excesse of Blood.
Lampas, is the flesh in the Mouth neie the vpper Teeth.
Mange, is taken by some Scabbe or byting.
Mallender, is a Scabbe in the Bone of the Knees.
Molt-long, is the pinching of a straight Hoofe.
Mourning of the Chinc, is a Wasting from the Backe, or Broken winded.
Naueel-galled, is a soze on his Backe against the Naueel, or an Impostume soze.
Paines, is a lozenes about the Hoofe, or Foot-locks.
Poule-cuill, is on the Nape of the Necke: and breedeth by stripes.
Pin, or Webbe, which couereth the beard of the Eye.
Rume, is taken by cold, and so his Teeth will waxe loose and seeme long, and then he can not eate his meate, but
- B. it

The Diseases in Horses.

is will lie intumesc, and about his Jawes.

Ring-bone, is a hard gristle about the Hoofe.

Quinsie, is a sozenesse in the Throat.

Sclander, is a Scabbe on the Haimen on the hinder Legges.

Shackle-galled, is on the Pastozne.

Spauin, is on the Joynt in the Hoofes behind.

Splent, is a splend Sinnew about the Fetterlocks.

Staggers, is a dooknasse in the Head, breeding of colic, and of the Pellowes.

Stranglings, is a swelling of the Throat.

Stone in a Hoofe.


Surbating, is under the Soales of the Feet on the surther side.

Viues, is a certatne Curnell under the Eares, or a Canker in the Pouch of Throat.

Wind-gals, are Bladders about the Fetterlocks.

Yellow, is a kind of Jaundies, and will cause the Eyes to looke yellow, and other parts of the body also.

Abbrs-



Approoued Remedies

for the curing of any kind of Dis-
ease, Hurt, Mainie, or Malady
in Horses.

For the Galling of a Horse.

Take Butter, Vineger, and Bay salt, and melt them
together, and lay on the Horse backe warme: then
scrow upon it Sutte, or the poulder of a Clay wall.

An other for the same.

Take ob. of Turmeracke, bruse it: a handfull of Bay-
salt, and a handfull of Sutte, with two handfulls of
Oatmeale, mingle it with Aline, and make it into a Cake
as well as you can, & then vpon a hotte Earthe bake it till
it be burnt blacke, then beat it into poulder: and when you
haue washed your Horse backe with Lee very hotte, or
Chamber-lee, then scrow on the poulder: and when the
poulder is almost gone, then dress it as aforesayd.

If it be festered, take R. . . . Honey, the white of an
Egge, and Sutte: mingle them together, and make a
Playster thereof, & lay it to eate the dead flesh: then scrow
on Verdigreace, and renew it once a day.

An.

Approued Remedies,

An other for the same.

TAke a pottle of Uergis, two penny worth of greene Coparis, and boyle it to a pint and a halfe: wash and searce the hoale therewith, & fill the hole with Red Lead, and so let it remaine three dayes vntouched: then wash it with the same, & fill it againe with the Red Lead: and so euery other day wash it with that Water, not made so strong of the Coparis; and lay thereon red Lead. This will heale it though it be galled to the body.

An other for the same.

TAke of the strongest Beere a pint, put into a quarter of a pound of Allum, and halfe a handfull of Sage: seeth it to the one halfe; then take out the Sage leaues: This will heale any Canker or Soze in a Horse.

To heale any Cut in a Horse.

TAke a quarter of a pound of fresh Butter, of Tarre, & blacke Sope, halfe so much of each, & a litle Turpentine: boyle them altogether (but the Sope,) and as soone as you take it from the fire, put in the Sope; & then vse it.

For a Horse wrong in the Wales.

TAke Butter and Salt, and boyle them together till they are blake, then powze it on hotte: then take vp a flake of Horse-dung that is hot, & lay it on the soze backe, and so dresse him till he be hole.

For fretting on the Belly, which commeth with gawling of the fore Gyrt.

This commeth with the soze Gyrt, and it stoppeth the Blood which is in the principall Veines, called the Plate-veines, which doe run length-ways: Take Oyle
of

For Discafed Horfes.

of Bayes, and Oyle of Balme, two ounces of Pitch, two ounces of Tarre, one ounce of Holsen: mingle them all together, and annoynt the soze Bowels: then take Flaxe and lay vpon it, and seare it with a hotte Iron: but take heed it be not too hott, for feare of burning.

For Thistulaes.

When you first perceiue it to swell, then seald it with Hony and Sheepes Shuet: but seald it very much. This will keepe it from breeding.

Then take and slit it in the neather end of the Soze, and put as much Mercury Sublimatum as a Pease, abate it with Sallet Oyle, laying it on with a Feather: after that, take Verdigreace iiii. d. worth, Vitraell ob. Lead iii. d. worth, beat these together & every day wash the wound with Coppis water made with Coppis and Elder leaues in Sommer, & with the inner greene Barke in Winter: after the washing, take the powder, and put it on the soze: and after it, drop on a litle Oyle.

An other for the same.

Take the outtermoſt greene ſhels of Walnuts, and put them in a Tubbe, ſtrowing three or foure handfull of Bay Salt vpon them, ſome on the bottome, ſome in the middle, and ſome on the toppe, and ſo keepe them all the yeare: and when you will vſe them, take a pint of them, and a litle Bay ſatt, (& halfe a quarter of a pound of blacke Sope, with halfe a ſpoonefull of May Butter (and for want thereof, other Butter) and incorporeate them together, and then ſpread it on the Soze: but two howers before you lay it on, annoynt the Soze with a litle Venus Turpentine,

Approoued Remedies

A Medecine to kill the Thistula cleane.

TAke Vnguentum Egipsiacum which is made of Honey a pint, Vineger di. a pint, Allum a quarter of a pound, and Verdigreace i. oz. di. and seeth them altogether till they be thicke and a tawny colour; this is called Egipsiacum: And to make it the strongest way, is to put Sublimar. i. oz. made in powder, and Arsenicke two scruples, and boyle it to gether.

This strongest is for Thistulaes, Cankers, and foule Sores: and the first may be used in the Mouth, but not that which is made of Sublimatum, and Arsenicke; for they are poyson.

A Tent to put into the hollow place of
the Thistula.

TAke of Sublimatum well powdered, i. oz. the middlest of well leauoned Bread slake baked, iiii. oz. of Nenin f. drammes; mingle them together with a litle Rose water, and make Tents thereof, and by them vpon a Cyle; and then take it to your vse.

To make a Lee for the same, or Water,
to kill at the bottom.

TAke Lee, Honey, Roch Allum, and Mercury, and seeth them together: and apply it to the Thistula at the bottome thereof.

Also to by a Thistula, take red Wine, Goats dounge, and Beane flower, and seeth them together, and lay it on: and this will by it by.

To sinke a Thistula.

TAke first and seare, it and with this marke ☉. oz. such like: and then take Rosin, Sherpys tallow, and Brimstone.

For Diseased Horses.

Rone, and boyle them together, and lay it on very hotte with a Cloth: this will sinke it downe againe. This is good also for a Windgall: take and pricke it out (but beware of Sinnewes) and then lay it on; but not too hotte, but very reasonably: and this will keepe it cleane.

For a Thistula in the Head.

Take the iuce of House-lecke, and dip a Locke of Wooll in it, and put the Locke of Wooll in his Eares, & bind it fast: vse this once a day.

An other for the same.

If there be any inflammation in the Eares, or that it groweth to an Impostumation in that place, you shal boyle the rootes of Pallowes in Water till they were tender, then bruse them, and straine out the Water cleane: and being warme, giue it the Horse to drinke.

To know the Bottes.

When you thinke that your Horse hath the Bottes, looke in his Mouth, and smell to his Breath, for it will stinke, and his Mouth will be full of slime.

To cure the Bottes.

Take as much blacke Sope as a Walnut, as much Bymkone beaten, and a little Garlike, and put it in good Ale, and giue it the Horse blood warme: But for a Mare with Foale, then take Bymkone, Butte, and Garlike, without Sope.

Take a handfull of new Hennes dung, and a quart of good Ale drinke, and all to bray it with your hands: then take a good handfull of Bay-salt, and put two Egges to it, and bray them altogether, and giue it your Horse to drinke in a Horse.

Approoued Remedies

An other for the same.

Take a pint of Milke, ob. of Saffron, ob. of Allum: beate them together, and giue it him to drinke.

To kill the Wormes in the Maw.

Take the crops of young Broome, and of Sauin, and Grounseell, of each a quantitie: then chop them small, and glue it him with his Pouender euening and morning: and let him not drinke for a good space after.

If he haue the long Wormes, take Milke, Bizmstone, and Hony, and giue him to drinke.

For Woormes in the Coddies.

Take the Cuttes of a young Bullet, and cast it into his mouth fasting, and make him to swallow them downe: doe this three mornings together, but let him not drinke nor eat in fure houres after.

Some vse to giue him fresh Broome in his Pouender, and Salt water to drinke.

Others doe giue him of greene Willows, or greene Reede to eat: and in digestion of the meate, he shall cast out the Wormes.

An other for the same.

Take the Garbidge of a young Henne or Pidgeon while it is warme, rowle it first in a litle blacke Sope, and after in Bay salt, and force it downe his throte: and it will helpe him. *Probatum.*

To know when a Horse hath the Woormes.

Take by his vpper Lippe, and you shall see many small blew Veines, greater and bigger then the Wormes Veines by a great deale.

For

For Diseased Horses.

For a Horse that hath the Trunchions.

Let him drinke Hennes dounge, Hynts, Sage, & Rue:
and let him blood in the Nostrils: or else giue him
Sauin or Sothernwood to drinke; and it will cure him.

Another for the same.

Take ob of Arment, ob of Hony, ob of Venicreke, ob
of good stale Ale; mingle them together, and tie vp the
Horses head on high, & giue it him to drinke with a hohne.

For blisters.

Take the iuce of ground Iuie, with so much Brimstone,
a quantitie of Tarre, and so much Allum: put it all to-
gether, and lay it to the Blister.

For the Barbs.

If they grow long, they will hinder his feeding: they do
use to clip them with a paire of Sheares, and then wash
his Mouth with Water & Salt: and that will cure him.

For the Staggers.

You shall perceine them by beating his Head, and hee
will be as though he were blind.

Take Garlicke, Rue, & Bay salt, and beat them grosse-
ly, and put Vineger into it, and put it into the Horses
Eares; and then wet Wooll in this Medecine, and stop
his Eares therewith, and bind them close, and let it be so
xxiiii. howers, and then pull out his Tongue and wash it
with Vineger, to make him haue a good stomacke.

Another for the same.

First, take a Masse of wet Hay, and burne it vnder his
Nose that the smoake may goe into his Head; then take
halfe a handfull of Salandine, and as much Hearb-grace,
three or foure cloues of Garlicke, and a litle Bay salt, and
Rampe them together, & put thereto foure or fve spoone-
full

C.

Approoued Remedies,

full of Vineger or Aergis: then cram it into the Hoxles Eares, and tie the Eares close that no ayre may come in: let it continue in his Eares a day and a night, and then let him blood.

Oyle, take Rue and Sallandine, of each a like, and white Salt, and stampe them together, and put it into his Eares, and then bind them vp for two howers.

An other for the same.

TAke Oyle of bitter Almonds, i. oz. di. of Oye Gall, two drammes of blacke Ellabar stamped, ob. of Graines, of Casterum, of Vineger, and of Varnice v. Drammes: seeth them altogether till the Vineger be consumed; then straine them, and put it into his Eares.

For the paine in the Head, or Stifeling.

KEepe his Head warme, and let him drinke warme Water mingled with Wheat-meale, or fennel-seeds, and blow it into his Nose with a Quill, and some poulcer of Ellabar, or Heeling poulcer, mixed together with some Pepper: then take a pint of Palmeslie, the Whites and Yolkes of v. new laide Egges, one head of Garlick beaten fine, and a quantitie of sweet Butter: mingle them together, and giue it him to drinke three dayes after: but let him not drinke in foure howers after.

For the Wanders.

TAke halfe a bushell of Barly, and set it on the fire in a Panne, and put thereto running Water, & neuer as the Water walleth put in more, so that the Barly be covered with Water, and let it seeth till the Barly be broken: then take a little Poake or Sacke, and put the Barly therein,
and

for Discafed Horles.

and lay the same on the Horse ridge, on length from the
Spane to the Cropper, all hot : and let it lie till it be cold,
and there let it lie a night & a day, and put the Horse into
a greene Hard some xiiii. howers and there he will wal-
low : and then take him in, and he will be whole.

For the Yellowes.

YOU shall know them by the White of his Eye, which
will be yellow : or else by his Tongue, which will haue
yellow Veines : or else put vp his vpper Lippe, and you
shall see the Veines yellow.

Take two races of Turmeracke, and ob. of Saffron,
and put to it a pint of strong Beere or Ale, and warme it
blood warme, and giue it him.

An other for the same.

TAKE Turmeracke a cloue et di. et di. a dozen chines of
Saffron, one or two Cloues, & sixe spoonesfull of Mi-
neger or Aergis: and put it in each Eare thzee spoonesfull,
and stoppe his Eares with blacke Wooll : and then tye
them fast vii. or viiii. dayes.

An other for the same.

TAKE long Pepper, Grapnes, Turmeracke, & Licoris,
beaten into poulber : put them into strong Beere, and
giue it him to drinke.

For the Paines or Crotches, which commeth
by heate, and the sodaine cold vpon it.

THE Paines appeare aboue the Hoofe : you shall
know them by the Horse standing right vp : you
must take vp the Shackles-veines on both sides, then
take the soft Row of a Redde Hearing, and Mustarde,

Approued Remedies,

full of Vineger or Aergis: then cram it into the Hozles Eares, and tie the Eares close that no ayze may come in: let it continue in his Eares a day and a night, and then let him blood.

Oyle, take Rue and Sallandine, of each alike, and white Salt, and stampe them together, and put it into his Eares, and then bind them vp for two howers.

An other for the same.

TAke Oyle of bitter Almonds, i. oz. di. of Oxe Gall, two drammes of blacke Ellabar stamped, ob. of Graines, of Casterum, of Vineger, and of Carnice v. Drammes: seeth them altogether till the Vineger be consumed; then straine them, and put it into his Eares.

For the paine in the Head, or Stifeling.

KEepe his Head warme, and let him drinke warme Water mingled with Wheat-meale, or Fenell-seeds, and blow it into his Nose with a Quill, and some poulder of Ellabar, or Reeking poulder, mixed together with some Pepper: then take a pint of Palmesie, the Whites and Yolkes of v. new laide Egges, one head of Garlicke brused, small Pepper, Sinamon and Nutmegs beaten fine, and a quantitie of sweet Butter: mingle them together, and giue it him to drinke three dayes after: but let him not drinke in foure howers after.

For the Wanders.

TAke halfe a bushell of Barly, and set it on the fire in a Panne, and put thereto running Water, fewer as the Water wasteth put in more, so that the Barly be couered with Water, and let it seeth till the Barly be broken then take a litle Poake or Sacke, and put the Barly therein,
and

for Diseased Horles.

and lay the same on the Hoyle ridge, on length from the
Hane to the Cropper, all hot : and let it lie till it be cold,
and there let it lie a night & a day, and put the Hoyle into
a greene Hard some xxiii. howers and there he will wal-
low : and then take him in, and he will be whole.

For the Yellowes.

YOU shall know them by the White of his Eye, which
will be yellow : or else by his Tongue, which will haue
yellow Veines : or else put by his vpper Lippe, and you
shall see the Veines yellow.

Take two races of Turmeracke, and ob. of Saffron,
and put to it a pint of strong Beere or Ale, and warme it
blood warme, and giue it him.

An other for the same.

TAKE Turmeracke a cloue et di. et di. a dozen chines of
Saffron, one or two Cloues, & sixe spoonesfulls of Vi-
neger or Uergis: and put it in each Eare thzee spoonesfull,
and stoppe his Eares with blacke Wooll : and then tye
them fast vii. or viii. dayes.

An other for the same.

TAKE long Pepper, Graynes, Turmeracke, & Licoris,
beaten into poulder : put them into strong Beere, and
giue it him to drinke.

For the Paines or Crotches, which commeth
by heate, and the sodaine cold vpon it.

THE Paines appeare aboue the Hoofe : you shall
know them by the Hane standing right by : you
must take by the Shackle-veines on both sides, then
take the soft Row of a Redde Hearing, and Pustarde,
and

Approued Remedies,

and blacke Sope, and boyle these in Vineger, and make a Playster, and lay it to the soze.

There is no Veine betweene the Pastorne and the Hoofe, but the Shanche Veine: and the Veine which serueth for the Crotches, must be taken by on the inside and the outside.

Wash it first with warme Urine, then dry it with a Cloth, and clip away all the Hayres on the scabby place, then rubbe and chafe it all ouer, and make fast his Feete, and rubbe the place grieved with Butter and Tarre boyled together, vpon a Clout tyed on a Sticks end, and bath it well therewith: vse this once or twice a day, till it be whole.

Butter and Hony molten together, is good to annoint an Horse for Paines, or Crotches.

Take a pound of Hogges greace, i. d. worth of Verdigreace, ii. oz. of Mustard, di. a pound of Oyle de Bay, a quarter of a pound of Maruell, di. a pound of Hony, di. a pound of English Ware, i. oz. of Arsenicke, ii. oz. of red Lead, halfe a pint of Vineger: boyle all these together, and make an Oyntment of it: Clip the Horses Legges bare, and lay this Pedecine to it very hot.

For Gourded Leggts, or Scratches.

Take by the Veines beneath the Knee, and let him blood as much as you thinke good, then knit the Veine aboue and beneath, and annoynt the Legges with this Oyle following.

Take Frankensence, and Rosen, and fresh Greace, and boyle them together, and straine it: and keepe it to your vse.

For Diseased Horses.

A Drinke to rayse a Horse, or for a
Horse that is sicke.

Take two penny worth of Pepper, two penny worth of Saffron, two penny worth of Annis seedes, two penny worth of Turmeracke, a penny worth of long Pepper, two penny worth of Treacle, a penny worth of Licoris, a good quantitie of Penny royall & Archangell: giue him these with the Yolkes of Egges in Milke to drinke. And for Meate Cattle, giue these in drinke.

For a Surfet Horse.

Take a quart of Beere or Ale, and ii. v. worth of Sallet Oyle, and as much Dragon water, a penny worth of Treacle: make them warme vpon the Coales, and put in. to it a penny worth of Horse Spices: and giue it him.

For a Hide-bound Horse.

This commeth by ouermuch working, ill dyeting, and naughty dyetling. Take Fenne-creeke, Turmeracke, Annis seedes, Bayes, Licoris, and Commin: beate all these together, and giue him one spoonefull of all these in Ale or Beere blood warme. This is also good for the Cough: This will also keepe him from it, if you vse to giue it him before the Disease commeth.

An other for the same.

Take away some Blood with a Felme, then giue him some warme Bashes morning and euening, and giue him Salt sodden in water together, or Branne and Water, or some Wheate sodden with Barley in Water, and it will helpe him.

For the Hoofe-bound.

Y Du shall rayse the hoofe aboue from the toppe to the sole in foure or fve places, that the Water may

Approued Remedies

come out : Some doe rayse it round with a sharpe Knife, and along downward ; and then rubbe it well with Sale once or twise.

For a loose Hoofe.

Take Tarre three spoonefull, of Rosen a quarter of a pound, of Canly, of Rue, of redde Wintes, of Soe. thernwood, each halfe a handfull : beate all them together in a Morter, and put thereto halfe a pound of Butter, i. d. worth of Virgins Waxe : then fry them all together, and bind it to the Hoofe for vii. dayes, and it will cure him.

For a Brittle Hoofe

If your Horse hath a brittle Hoofe, it is because he is too hotte, or too dry, and doth stand dry in the Stable vnstopped.

Take Oxe-doung and temper it with Vineger, and binde it warme all ouer vnto the Feete, and vnder the soales of the Feete : on the next day vse him so againe ; so vse it for a weeke together, and it will helpe him : vse to stop his Feete with Oxe or Cow doung, or his owne, and let him stand so a Month.

Or, take the fatte of Bacon, and temper it with Turpentine, and annoynt his Feete therewith, which is very good.

A Medecine for the Cough, or Mourning in the Chine.

Kepe your Horse meatlesse ouer night, then take a pint and a halfe of Miltke, three heades of Garlick piled and stamped, boyle them to the halfe : giue it to your Horse, and some at his Nose, then runne him a quarter of a myle, then rest him : and after that, run him three times more,

for Diseased Horses.

more, every time resting him: then put him into a Stable; and keepe him very warme, and giue him no water till after noone, then giue him good Hely: and so vse him with Helyes thre dayes, and giue him no Water but alwaies warme, for thre dayes.

Another for the same.

Take Horehound, Licoris, and Annis seeds in powder: make Balles thereof with fresh Butter, and giue it your Horse.

Another for the same.

Take Wheat flower, Annis seedes, and Licoris being stamped in a Morter, v. oz vi. Cloues of Garlick being bzused: mixe all these together, and make a Masse of them, and rowle them in Balles as bigge as a Walnut: then pull out his Tongue, and cast them Balles downe his Throat thre or foure of them at a time: and giue him two new laide Egges after them shels and all.

For the Glaunders.

Take Swines greace cleane clarified, and as much Oyle of Bay as a Walnut: giue it him to drinke with faire water, luke warme.

Another for the same.

Take of Ellacumpana, Annis seeds, and Licoris, of each i. lb. worth, boyle them in thre pintes of strong Ale or Beere, vnto two pintes or lesse: then put into it a quarter of a pint of Sallet Oyle, and giue it him to drinke blood warme.

Then take Euforbium in a quill, & blow it by into his nose, & within thre dayes after, take Mustard, Vineger,

Approoued Remedies

and Butter, and boyle them togeather: put thereto halfe an Ounce of Pepper, and giue it him to drinke. Use the one Medecine one weeke, and the other another; and ride or worke him easly.

An other for the same.

Take a quantity of Annis seeds, Licoris, and Clacompana roots, long Pepper and Garlick, of each a like, with three Egges, and some Butter; a quantity of Palmesse, and some good Ale, mixt togeather; and make it warme, and so giue it him, and keepe him warme.

Another for the same.

Seeth a handfull of pilled Garlick in Milke, and put a peece of Butter thereto, and some Ale, & stirre them all togeather, and giue it him fasting, and ride him softly a while after, and then set him vp: but keepe him warme nine dayes after.

For the Strangles.

Cut him betweene the Thawes, & take out the Rirnels, and wash the place every day with Beere and Butter, and stop it vp as long as you can, & giue him new Milke and Garlick to drinke, & the iuce of the leaues of Birch withall; or in Winter, the Barke of Birch: also smother him with the fume of Masticke or Franckensence.

For the Farley.

Take blacke Sope, Arsenicke, unslaked Lime, Verdigreace, and red Lead: worke these togeather, and lay them to the soze

Another for the same.

Take iii. oz. of Quicksilver, and put it into a Bladder, with two spoonefull of the iuce of Oranges or Lemmons,

*Droppe
soze*

For Diseased Horses.

mons, and shake them together to coole the Quicksilver: then take hils a pound of fresh Hogs greace, and of Uer-
gis an ounce: put all these in a Greene dish, and worke
them well together: then annoynt the Knots with this
Oyntment till they rot, then let them out with a Sharpe
Kusse, and annoynt them still: and put into his Eares the
iuce of Rag-weed, and they will dye by, *Probatum.*

A Drinke for the Farley.

LEt him blood in the Nerke on both sides, foure fin-
gers from the Head, and giue him this Drinke.

Take a gallon of sayze water, and put therein a
good handfull of Rue and a spoonefull of Hempleed,
and bruse them in a Morter all together, and seeth it till
the halfe be consumed: and when it is cold, giue it him to
drinke.

For the Farley.

TAke blacke Sope, Mustard made of Sharpe Winz or
Vineger, and read Lead, mixe all these together, and
annoynt the Veines all along, rubbe it ouer with an hotte
Iron made of purpose, but very thicke: rubbe the Pede-
cine much in with the Iron, being red hotte.

To destroy the Farley.

TAke iuce of Hemlocke a good quantity, and bray them
together, and pnt it into the Eares, and picke the
Knots and put in Salt, and giue him drinke with sweete
Mort, Fennell, and Treacle.

For a Horse Foote that is wrounged in the Foot-locke.

Setth a quart of Vrine till the Foame rise, then straine
it and put thereto an handfull of Tanfie, as much of
Pallowes, a sawcerfull of Honey, and a quarter of a pound
of

1 Drinke

*A mixture
put in 2
Ears*

Approoued Remedies

of Sheepes Tallow : stirre all these on the fire till the Hearbes are well sodden, and all hot, lay it to the Joynt, and then lay a cloth ouer it, and it will be whole in three dayes.

For a Wrench in the Foot-locke.

Take Pompilion, Marulle, and blacke Soap, of each a like, and heate them hotte on the fire, and then annoynt him therewith.

For a Horse that is Stiffed or Hipped.

Take a pound of Bole-armoniack, one quart of red Wine-vineger, vi. Egges beaten Welles and all, two penny worth of English Honey, as much Venus Turpentine, one quart of Flower, one good handfull of Bay salt, and put all these in a pot, and keepe it close one night, and the next day apply some of it to the hurt, dressing in once a day for ix. dayes together.

For a Horse that is Foundered.

Take Verdigreace, Turpentine, and Sallet Oyle, two or three Spoonfull of Hogges greace, and Bees waxe i. oz. boyle all together, and so dip flaxe or Tow in it, and stusse his feete therewith, and let him bleed in the Toes, and he shall be whole.

An other for the same.

Plucke off his Shooes, and pare hollow his feete nigh to the quicke, then race him with a crooked Lannee from the Heele to the Toe in two or three places on both sides of the Hoofe, and let him bleed well : then clap two or three hard Egges to it as hot as he may suffer it : and as they coole, lay on more : and then lay hot Horse dung vpon them and about his feete, and he will soone recouer, if you giue him rest.

For

For Diseased Horses.

For a Horse that is Foundered in his Feete.

Take Tarre, Neats-foote Oyle, and the Yolkes of Egges, i. vi. worth of Aerdigreace, and some Wheate Bryanne, and boyle these together, and bind them vnder his Foote very hot.

If he be Foundered in his Body.

Take ob. of Garlick, ii. v. worth of the poulver of Pepper, ii. v. worth of the poulver of Ginger, ii. v. worth of Graines husled, and put it into a Potte of stale Ale the best you can get, and giue it him to drinke, and Litter him to the Belly, and lay Cloathes on him as many as he can beare: and let him bleed on the sides.

For Blindnesse.

Take two dry Tyle-stones, and rubbe them together, and blow the Poulver of it with a Quill into his Eyes three or foure times.

For the Webbe in the Eye.

Take the leane of a Gammon of Bacon, and dry it, and thereof make Poulver, and vse the Poulver, and it will cure it.

For the Pearle in the Eye.

Take the iuce of ground Tuie, the iuce of Sallandine, and wormes Milke, and put it into the Eyes, and it will also cure him.

D. a.

For

Approoued Remedies

For the Haw in the Eye.

MAke a Plaster of the iuce of ground Tuiæ, and of Tuiæ Berries stamped in a Morter, beaten with Wine or Water: and Plasterwise lay it to the Eye of Eyes euening and moorning.

Another for the Haw in the Eye.

Some take a Needle and a double Threed, and thrust the Needle through the Filme of the Eye wherein the Crush groweth; which pull out, laying it on your fingers end, and holding the Needle and the Threed straight, and so cut away all the hard matter a penny breadth. But beware you cut not away the Fatte, which is the Mass of the Eye: neither cut the Filme wherein the Eye groweth; but cut betweene the Filme and the Crush, and then squirt in Beere.

For a Canker in the Eye.

TAke Roch Allum and greene Coppis, of each a like, boyle them in thre pintes of running Water, untill the one halfe be consumed, then take it from the fire, and once a day wash his Eyes therewith, being made luke warme.

For a Stroke in the Eye.

Lay thereto the iuce of Smallage, Fennell, and the white of an Egge.

For a Windgall.

TAke and cut the Skinne, then take a spoonefull of Oyle de Bay, one spoonefull of Turpentine, i. v. worth of Verdigreace, the white of an Egge, and a quarter of an ounce of red Lead boyle them together, and it will make a Salve; lay the same to the place where you did cut him.

Probatum.

An

for Diseased Horses.

Another for the same.

First clip off the Haire bare, then cut it the length of a Beane, and let it out: but beware of the Sinnewes that you cut not them: then haue ready molten Rosen, Shepes Tallow, and Brimstone, boyled together: then lay on this Medicine, but beware it be not too hot.

For the Spauin.

TAke Mustard seed, and Oyle de Bay, and Cow dung the rootes of Hallowes, a quantitie of Turpentine, di. oz. of Bole armoniacke, beate them to pouder, and worke them geather, and binde them hot to the Spauen.

For the Blood Spauen, and Bone Spauen.

TAke vp the Veine aboue and beneath the Joynt, and let it bleed well, then knit vp the Veines, and annoynt them with Butter, till they be hole.

For the Bone Spauen, pricke it with a Harpe poynted knife, then take a peece of a candle, & lay a peece of browne Paper vpon it, and with a hot Iron melt the Tallow, and after noynt it with Butter.

For inflammation of the Coddies

BOyle Groundsell in Wine and Vineger, and so bath him therewith, and vse to ride him into the Water.

An other for the same.

TAke a quart of good Ale wort, and set it on the fire, with the crummes of Browne bread strongly leauoned,

Approued Remedies,

and a handfull of Commin (or more) in pouder: make a Playster of all these and Beane flower, and apply it to the grieve as hot as it may be suffered.

An other for the same.

Take new Cow dung and seeth it in Milke, then make a Playster, and lay it to the grieve as hot vpon the swelling as may be.

For swelling of the Coddles.

Let him assayle a Mare, and giue him no Prouender, and let him blood about the great Veine betweene the Hippes, and lay thereto hard Egges in his owne dung, and make a Playster of the same, and lay it to the Coddles: and if it helpe him not, let him stand in the Water halfe an hower.

For the Strangullion.

Take Bread, and Bayes of Loxell, and temper them together with May Butter, and giue him thereof three dayes together, and he shall be whole.

For Festering of the Sore.

Take Lime and tough Horse dung, and temper it together with Pepper and the white of an Egge, and lay it to the sore five dayes, and it will cure him.

for Diseased Horses.

A Drinke for the Stone.

TAke a pint of white wine, halfe a pint of Burre seede, and beate them small, ii. oz. of Parsely seede, halfe a handfull of Hyssop, halfe an oz. of blacke Sope : mingle these together, and warme it, and giue it him.

For the Stone Collicke and Fret.

TAke vnset Leekes and stampe them small, and Sope, Milke, and Butter, and giue it the Horse: it will make him pisse.

For a Horse that cannot Stale.

TAke a Nutmeg, and a handfull of Parsely seede, beate them in poulder, and a handfull of Butter, and heate it in good Ale, and giue it him blood warme, and hee shall stale at ease.

For the Stone, and to make him pisse.

TAke the seede of Smallage, Parsely, Saxefrage, the rootes of Philudendula, Cherry-stone kirknelles, Grunsell seedes, and Broome Seede, of euery one like much : make them in fine poulder, and giue it him in white Wine.

For a Horse that cannot Dounge.

TAke xi. leaues of Lovell, and stampe them in a Morter, and giue him to drinke in strong Ale Ale.

TAke Barley and seeth it in the iuce of Gumfolly, and giue him the Barley to eate, and the iuce to drinke.

Approued Remedies,

Or else, take and let him blood, and boyle the Blood with the poulder of the Pill of Pomegranats, and put in some Wheate : then straine it, and giue it him to drinke thre or foure mornings, but let him not trauell.

Take the poulder of Licoris and Annis seeds, rould vp in Hony, and giue him thre or foure Balles of them at a time, pulling out his Tongue, & putting it in his throat : It looseth his breath, and letteth his wind at libertie, and purgeth the cold & stiffnesse, & expelleth the Glaunders.

Byled Licoris, Annis seedes, Garlicke byled, a little Sallet Oyle, and Hony, giuen blood warme in Milke, cureth very many Diseases, and keepeth him from moze.

For a Horse that is Broken winded,

Take a Hedgehog and split him, and take out his guts, and dry them vp in an Ouen vntill you make poulder of them, giue it your Horse to drinke in a pint of good Ale, a part thereof : then take Balles of Annis seedes and Licoris rouldes in Butter, & cast them downe his throat, and wash his Dates in good Ale or Beere ; then take Commin, Annis seedes, Licoris, and Sentarie, and make poulder of them, and strew thre spoonefull in his Dates, being moyst : vse this same iiii. dayes.

An other, if he be pursey.

Take Holline or Longwozt, and make a Poulder thereof, and giue it him to drinke with Water, and it will heale him.

Or you may take the Poulder of Gensian at the Apothecaries, and that will heale him also.

For

for Diseased Horses.

For a Horse pricked with a Naile.

Take out the Hoofe till you come to the bottome, oz. Cloine; then take Turpentine i. oz. Tarre i. oz. Pitch i. oz. Beefe-suet i. oz. and one head of Garlick: boyle them all together, and lay them to it so hotte as may be suffered: And if it chaunce to breake out aboute the Hoofe, then take the sayd Medecine, and annoynt it therewith.

To heale a Mangie Horse.

Let him blood on both sides his Nerke, then cut the Skinne in the middelt of the Fore-head two fingers broad, then raise the Skin on both sides, and put in slices of Angellica roote, oz. Clacompana; leaue them till it rotte, then thrust out the Matter, but leaue the Rootes, they will come out as it healeth, annoynting the Mangie places with the poulder of Brimstone and Ardigreace, mixed with Oyle Olive.

Another for the same.

Take Lampe Oyle, fine poulder of Brimstone, of blacke Sope, Tarre, Barrow-hogs greace, and the Gutte of a Chimnie; of each a like, and then mixe them all together, and annoynt the place therewith so hot as may be suffered, and it will helpe him.

For the Mangie of a Dogge.

Take Vineger, Gunpoulder, blacke Sope, Brimstone, burnt Allum, and Ardigreace: boyle all together with Hony, and rub ouer the Mangy place.

C.

For.

Approued Remedies

For the Strangle-halt.

Take by the Paister-beine aboue the Kneec, and vnderneath the same Veine lyeth a String, cut it away : then cut him below in the Nostrils, and take away two Strings, and then annoynt him with Butter and Salt.

For the Mares Euill.

Take Milke, Datmeale, Gallowes, Wormewood, Horehound, and Smallage; wyng these togeather with your hands, and boyle them togeather till they be soft, and lay it to the grieffe, which will bring it to a head : then you must launce it; then take red Lead, burnt Alum, and Rosen, beat these to poulder, and cast vpon it.

To take away Bones, Knobbes,
or Ring-bones.

Take a pound of strong Lee and Sope, a quarter of Vitreall Romane, i.e. of Salarmoniake, as much of Roch Allum; and boyle them togeather till they are thicke, and so vse it for an Oyntment.

Gipsiacum the strongest kind, lay it on with Cotton three or foure times, will take it away. This is good also for a Splint : and though it be a Chistula in the Crowne, it will linke it.

For the Powle-euill; which cometh of
a Bruse behind the Eares.

Take a hotte Iron, but first take by the Pale all the whole compasse, then seare it with the Iron, and then take redde Lead and blacke Sope, and mingle them
with

For Diseased Horses.

with water, and make it thicke, and annoye him withall
till it be hole.

To make water for the same.

Take a quart of Water, halfe a pound of Roch Allum,
iiii. lb. worth of Mercurie, a quarter of a pound of Ter-
digreace: and when you see the Horse rub his Head, wash
him with this Water.

An other for the same.

Lay a playster of Hogges greace on, to ripe the place,
and when it is ripe, launce it, and thrust through a hot
Iron, if it be very deepe, and keepe it open with Centes
made of a Spunge, and dippe it in Hogges greace: vse
this for foure dayes; then take Turpentine, & the yolkes
of Egges, and Saffron, and mingle them well togeather,
and dippe your Centes of Spung therein, and be sure
they goe to the bottoime, and playster it with Hogges
greace: and this will cure him.

For the Camer.

You must take out his Tongue, and let him blood in
foue or fixe places; and likewise on his vpper Lippe,
that he may bleed well, and all herubbe his Tongue and
Lippes with Salt: then the next day, wash his Tongue
and Lippes with Vineger, and rubbe it againe with Salt,
and giue him warme drinke and new Beere a day or two.

For the Coult-cuill.

Take the iuce of Hemlocke, & wash his Pard & Coddes
therewith.

Approved Remedies

An other for the same.

Take Beane flower, Vineger, and Solarmoniacke, and worke these together, and lay it to the Cobbies.

An other for the same.

You may wash his Shedd with warme Vineger, and draw forth his Pard, and wash it also: then ride him into the water: let him swim, and there tolle and turne him: vse this two or three weekes.

For the Cloying.

If he halt, pull of his Shoe and open the place pricked, with a Knife, and powze in Turpentine, Mace, and Sheepes suet, being molten together: then close it vp, and set on the Shoe againe: let him rest, and come in no wet ground.

Some doe vse to burne the hoale with a hot Iron, when they haue pult out the Naile; and some doe powze in boyled Butter in the hoale once a day, and it hath cured it.

An other for the same.

Take a handfull of Nettles, of blacke Sope, of Vineger, of each a spoonefull, & three times so much Boares greace or Bacon greace; then stampe them well together, and stop the soze therewith, and it will not rot any further, but heale, although you labour him.

Some doe stop vp the hoale when they draw forth the Naile, with Tallow and Horse-doung, and then set on the Shoe.

for Diseased Horses.

For the Cordes.

The cure is to flitte it, and with a Buckes hozne to take it vp, and tie it in two places, and cut it away.

An other for the same.

TAke Mustard, & Aquanite, and Sallet Oyle, and boyle them on the Coales, and make a Playster and binde it hotte to the place. It is good also for any Straine, so it be new done.

Another for the same.

TAke the Groundes of Ale, and being made warme, bath his legges therewith, and wispe him with a Hay rope.

An other for a Spraine.

TAke Smallage, and an Hearbe called Oxe, and some Sheepes suet : choppe them altogether, and boyle it in mens Urine, & bath the place therewith, and wet a Hay-band in it, and rowle vp the Legge therewith. *Probatum.*

For the Curbes.

Frette his Legges with thy hand, and then take redde Colwort leaues, and Burrage, and hzay them together, and lay it thereto v. dayes.

Against Stifnesse of Sinnewes.

Sceeth a pound of blacke Sope in a quart of strong Ale till it looke like Tarre, and annoynt the Sinnewes therewith, and it will supple them, and bring them to the right course. It is good for a Span, if he be stiffe in the Joyntes.

For Enterfeering.

He may be much holpen by Hooyng with a skillfull Smith : But if the Skinne be off, take May Butter,

Approued Remedies,

with a quantitie of yellowe Rasse, as much Maruell; then fry them together in a Panne, and let it stand till it be cold, and put it in a Potte, and put to it a little new Calu doung, and make Plasters thereof, & bind it to the place. This will heale also the pricke of a Naille.

For the Naruell galled.

Take Sutte of a Chimale, and Peck, mixed together, and playster it on: but shift it once a day.

Another for the same.

Take Nettles seedes, and mixe them with Sallet Oyle, and annoynt the Soze, & Chasing therewith.

Some doe vse to wash him with warme Water, and then annoynt the place with Greace and Salt mixed together.

An other for the same.

Take hearbe Vitis, Byrrhstone in powder of Eliborie Pitch, and old Greace, and campe them together: and when you haue washed him with Chamber Lee, annoynt him with this Medicine.

A Water for a Galled backe, or any foule Sore.

Take a pottle of Varnice, iiii. v. worth of greene Copris, and boyle it to the one halfe, or more, and wash the Soze with that, and then fill the Soze with redde Lead; and let it not be dressed of three dayes: and then dress him againe, as you shall see cause.

for Diseased Horses.

For a Greene wound.

Take White wine and make it warme, and wash the Wound therewith, then take Turpentine, Mel-rosap, and a little Waxe, and melt them together, being stirred continually till they are well mixed, and then vse it. If it be a Cutte, take Cow and dippe it therein, and fill the Wound with it: If it be a boale, make Tenters for the place.

Another for the same.

Take Hogges Greace, and Venus Turpentine, & melt them together: and if it be a Cutte, take Cow and dippe therein, and fill the Wound therewith. If it be a boale, make Tenters, and presse it therewith.

For a hot Impostume in any outward part.

Sampe Liuertwozt, and mixe it with the Groundes of Ale, Pallowes, and Hogges greace, being made hot, and lay thereto.

Another for the same.

Brase Lettis seedes, and Poppie seedes, and mixe them with Oyle of Red-Roses, and playster-wise lay it to the soze.

For a Cold Impostume,

Take the hearbe Balme, Camper and mixed with Hoggs greace, and playster-wise lay it to it,

An

Approued Remedies,

Another for the same.

Setth white Vints in Wine of Ale, with Oyle of Butter, and lay it hot to the place.

To ripe any Impostume.

Setth Gallowes rootes, and Lilly rootes, and then bruse them, and put thereto Hogges greace, and Linseed meale: and playsterwise lay it to it.

For the Rume.

Let him blood in the Veine vnder the Taile, and rubbe his Gummes with Sage tyed to a Sticks end, and giue him for a while the tender crops of blacke Briers, in his Pouender.

For loose Teeth.

Pricke the Gummes with a Knife, and them rub them with Honey, Sage, and Salt, beaten together. The Sorrell Hoyle is most subiect to this Disease.

For the Feuer.

Let him blood in the Thigh in the middle Veine, foure fingers vnder his Cuell: or els, take the Veine in the Necke, and giue him a

Another for the same.

Take Water and Honey, the iuce of Parselaine, Gum Dragon, and Frankensence in powder, with a few of Dammaske Roles, and mixe them all together, & giue it him to drinke.

An



A.j.